

(1/41)

FIG. 1





FIG. 2








FIG 3

FIG. 4





(6/41)

FIG. 6







FIG. 7A



(8/41)

FIG. 8



206

Front  
View  
Of  
BP-1





FIG. 10


(10/41)



10024366 - 121701


(11/41)

FIG. 11



(12/41)

FIG. 12A





(14/41)

FIG. 12C

To FIG. 12B

B


A

CONNECTOR	ERNI PART NUMBER	ERNI SHIELD PART NUMBER
J1	103864	_____
J2	044579	_____

NOTES:

1. PCB MATERIAL: 1.60 MM (63 MILS) THK.

ALL DIMENSIONS IN MM.




1

2

4

FIG. 12D

(15/41)







Inventor(s): Jixue J. Liu, Zahid Najam  
Attorney Docket No.: 19736/15

FIG. 13B

(17/41)




(18/41)



(19/41)


FIG. 13D








(22/41)




(23/41)



Note: Components marked with "e" don't put on the PCB.


FIG. 131

(24/41)



Inventor(s): Jixue J. Liu, Zahid Najam  
Attorney Docket No.: 10736/15

(25/41)




Attorney Docket No.: 10736/15


Attorney Docket No.: 10736/15

(26/41)

FIG.  
13K



1828-1320




6L: Rear 1.8V/3.3V Retentant Hot Plug Power Supply



Inventor(s): Jixue J. Liu, Zahid Najam  
Attorney Docket No : 10736/15

(29/41)


FIG. 14B



Inventor(s): Jixue J. Liu, Zahid Najam  
Attorney Docket No.: 10736/15

(30/41)

FIG. 14C




10024366 ■ 121201

To FIG. 14C

FIG.  
14D

(31/41)










(35/41)

FIG.  
14H








(38/41)


TO CIRCUIT \* 993473007

FIG. 14K



(39/41)

FIG.  
14L



(40/41)




FIG. 15




FIG. 16